



## ALUDEC CLASSIC

### LAMINATED DUCTING

**ALUDEC CLASSIC** ducts are flexible, strong laminate ducts for various purposes. The ducts consist of several layers of aluminium and polyester, with a high tensile steel spiral helix enclosed between the layers. The duct can be attached to round and oval connection parts without any problems. The fire resistance of the **ALUDEC CLASSIC** ducts has been tested in several countries, according to current international standards. Because of the "sandwich construction", the different layers of polyester and aluminium are overlapping each other completely. In case of fire, the system is able to function longer.

#### APPLICATION

- General air supply systems, without special demands
- Air conditioning systems, without special demands


#### SPECIFICATIONS

Article code: CLDA{Ø}  
 Temperature range: -30 °C to 140 °C  
 Operating pressure: up to +2500 Pa  
 Operating air velocity: max. 20 m/s  
 Bending radius: min. 1 x Ø  
 Standard diameter range: 082 – 508 mm  
 Standard length: 10 mtr

#### CONSTRUCTION

Total layers: 3  
     of aluminium: 1 à 7 microns  
     of polyester: 2 à 12 microns  
 Total thickness: 31 microns  
     (excl. adhesive)  
 Wire spacing: 36mm  
 Appearance: Aluminium

#### PRESSURE LOSS (STRAIGHT DUCT)



The **ALUDEC CLASSIC** fulfills all the requirements and are classified as specified within EN 13180: *Ventilation for buildings – Ductwork - Dimensions and mechanical requirements for flexible ducts.*

#### LIABILITY:

The information contained in this brochure was current on the publication date. DEC INTERNATIONAL reserves the right to make changes in details at any time without prior notice. In order to avoid misunderstandings, any interested party is advised to contact DEC INTERNATIONAL checking for any changes in materials and/or information after this brochure was published.

#### PLEASE NOTICE:

The consultant is responsible for the actual installation and mounting of the product. The mentioned values with respect to temperatures are not appropriate to be used to determine the physical properties. These properties are also dependent on humidity and the temperature of the air inside and outside of the H.V.A.C. system.

#### TRADEMARKS:

ALUDEC, the DEC logo and DEC International are trademarks, or registered trademarks of Dutch Environment Corporation BV in the Netherlands and/or other countries.

#### RESTRICTIONS:

The ALUDEC ducts are not suitable for discharging combustion products from open fireplaces and oil-fired boilers. Neither are the ALUDEC ducts suitable for transporting air with a high concentration of acid and base.