

1 Product Fiche																																																																																					
2 Supplier's name: LG Electronics																																																																																					
3 Model Name: HM071M U43 / - / OSHW-300F AEU (Tank)																																																																																					
4 Declared load profile																																																																																					
5 Seasonal space heating energy efficiency class				<table><tr><th colspan="3">XL</th></tr><tr><td>35°C</td><td colspan="2">55°C</td></tr><tr><td>A++</td><td>A+</td><td>A</td></tr></table>				XL			35°C	55°C		A++	A+	A																																																																					
XL																																																																																					
35°C	55°C																																																																																				
A++	A+	A																																																																																			
6 Water heating energy efficiency class																																																																																					
7 Rated heat output				kW	<table><tr><th colspan="3">13 Average</th></tr><tr><td>35°C</td><td colspan="2">55°C</td></tr><tr><td>6</td><td colspan="2">5</td></tr><tr><th colspan="3">Average</th></tr><tr><td>35°C</td><td colspan="2">55°C</td></tr><tr><td>2 668</td><td colspan="2">5 638</td></tr><tr><th colspan="3">Average</th></tr><tr><td colspan="3">1 254</td></tr><tr><th colspan="3">Average</th></tr><tr><td>35°C</td><td colspan="2">55°C</td></tr><tr><td>175</td><td colspan="2">122</td></tr><tr><th colspan="3">Average</th></tr><tr><td colspan="3">134</td></tr></table>			13 Average			35°C	55°C		6	5		Average			35°C	55°C		2 668	5 638		Average			1 254			Average			35°C	55°C		175	122		Average			134																																									
13 Average																																																																																					
35°C	55°C																																																																																				
6	5																																																																																				
Average																																																																																					
35°C	55°C																																																																																				
2 668	5 638																																																																																				
Average																																																																																					
1 254																																																																																					
Average																																																																																					
35°C	55°C																																																																																				
175	122																																																																																				
Average																																																																																					
134																																																																																					
8 Annual energy consumption				kWh																																																																																	
13 space heating 13 water heating																																																																																					
9 Seasonal space heating energy efficiency																																																																																					
10 Water heating energy efficiency				%																																																																																	
11 Sound power level (LWA)				IDU		dB																																																																															
12 PRECAUTION																																																																																					
13 Contact the authorized service technician for repair or maintenance of this unit.																																																																																					
14 Contact the installer for installation of this unit.																																																																																					
15 AWHP is not intended for use by young children or invalids without supervision.																																																																																					
16 Young children should be supervised to ensure that they do not play with AWHP.																																																																																					
17 When the power cable is to be replaced, replacement work shall be performed by authorized personnel only using only genuine replacement parts.																																																																																					
18 Installation work must be performed in accordance with the National Electric Code by qualified and authorized personnel only.																																																																																					
19 Rated heat output				kW	<table><tr><th colspan="3">13 Colder</th><th colspan="3">Warmer</th></tr><tr><td>35°C</td><td colspan="2">55°C</td><td>35°C</td><td colspan="2">55°C</td></tr><tr><td>7</td><td colspan="2">7</td><td>7</td><td colspan="2">6</td></tr><tr><th colspan="3">Colder</th><th colspan="3">Warmer</th></tr><tr><td>35°C</td><td colspan="2">55°C</td><td>35°C</td><td colspan="2">55°C</td></tr><tr><td>5 518</td><td colspan="2">7 180</td><td>1 323</td><td colspan="2">1 013</td></tr><tr><th colspan="3">Colder</th><th colspan="3">Warmer</th></tr><tr><td colspan="3">1 962</td><td colspan="3">1 111</td></tr><tr><th colspan="3">Colder</th><th colspan="3">Warmer</th></tr><tr><td>35°C</td><td colspan="2">55°C</td><td>35°C</td><td colspan="2">55°C</td></tr><tr><td>127</td><td colspan="2">97</td><td>265</td><td colspan="2">180</td></tr><tr><th colspan="3">Colder</th><th colspan="3">Warmer</th></tr><tr><td colspan="3">85</td><td colspan="3">151</td></tr></table>			13 Colder			Warmer			35°C	55°C		35°C	55°C		7	7		7	6		Colder			Warmer			35°C	55°C		35°C	55°C		5 518	7 180		1 323	1 013		Colder			Warmer			1 962			1 111			Colder			Warmer			35°C	55°C		35°C	55°C		127	97		265	180		Colder			Warmer			85			151		
13 Colder			Warmer																																																																																		
35°C	55°C		35°C	55°C																																																																																	
7	7		7	6																																																																																	
Colder			Warmer																																																																																		
35°C	55°C		35°C	55°C																																																																																	
5 518	7 180		1 323	1 013																																																																																	
Colder			Warmer																																																																																		
1 962			1 111																																																																																		
Colder			Warmer																																																																																		
35°C	55°C		35°C	55°C																																																																																	
127	97		265	180																																																																																	
Colder			Warmer																																																																																		
85			151																																																																																		
20 Annual energy consumption				kWh																																																																																	
13 space heating 13 water heating																																																																																					
21 Seasonal space heating energy efficiency																																																																																					
22 Water heating energy efficiency				%																																																																																	
23 Sound power level (LWA)				ODU		dB																																																																															
24 Water pump EEL s						0,20																																																																															
25 Temperature control				Class		V																																																																															
				Contribution (%)		X																																																																															

MBM6573M

[illegible][illegible]

aveda for användning av ung barn eller handplockade utan övervakning. (SR) - *AVHP* (Topkna puma/Vazd-hoVoda) inte predvända de är koriste mala dca i invaski bez nadzora. (NK) - Topnikniska puma/vozd-hoda ne na meninata za kornevoste od strana na mali shra ili nufe telesni ili dukovni nedostatoiti bez meniti nadzor. (NO) - *AVHP* er ikke egnet for bruk av barn eller funksjonshemmede/malvalde uten tilsyn. (SP) - *AVHP* nuh kishr shtayn pshr peldorin nua fshmetj e vegeli ose nqa persona me afshet to kufizuar va mbikqyq. (IS) - *AVHP* er ekki ætlað til notkunar fyrir ung börn eða drita án eftirlits. (BS) - *AVHP* me smiju koristi mala dječa i invaski bez nadzora.

[illegible]

Annex (EN)BG/ES/CS/DA/DE/ET/EL/FR/GA/HR/IT/IL/PT/LT/LV/HU/MT/NL/PL/PT/RO/SK/SU/IT/SL/SR/MK/NO/SQ/ES/BS **LG Electronics**

(EN) Product Fiche (BG) Лист с технически данни на издължението (ES) Ficha de producto (SI) Informacijski list výrobku (DA) Produktkort (DE) Gerätedaten (ET) Toote Fiche (LT) Ašakto duomenų lapas (FR) Fiche produit (GA) Comhad an Tairge (HU) Szabvány adatlap (IT) Scheda Prodotto (LV) Produkta detaļas (LT) Produkto vardiniai parametrai lentelė (HU) Termékadatok (MT) Prodott Fich (NL) Productfiche (PL) Etykieta produktu (PT) Ficha do Produto (RO) Fişa produsului (SK) Produktové údaje (SI) Izdelek Fich (LV) Tootsete tiedot (SV) Produktblad (SR) Oznaka proizvoda (MK) Informacioni list (NO) Produkt-fiche (SQ) Eftërsia e produktit (IS) Upplysningar tekis (BS) List proizvoda

(EN) Supplier's name (BG) Име на доставяващ (ES) Nombre del proveedor (CS) Název dodavatele (DA) Navn på leverandør (DE) Händlername (ET) Toetia nimi (EL) Όνομα προμηθευτή (FR) Nom du fournisseur (GA) Ainm an tSoláthair (HU) Név a szállítór (IT) Nome fornitore (LV) Piegādātāja Nosaukums (LT) Užstovą pavadinimas (HU) A forgalmazó neve (MT) Isem ta-fornitur (NL) Naam van de leverancier (PL) Nazwa dostawcy (PT) Nome do Fornecedor (RO) Numele furnizorului (SK) Meno dodávateľa (SI) Ime dobavitelja (SV) Leverantörns namn (SV) Názov poskytovateľa (MK) Име на продавател (NO) Leverandørns navn (SQ) Emri i furnizorit (BS) Ime dobavljača

(EN) Model Name (BG) Имя на модела (ES) Nombre del modelo (CS) Název modelu (DA) Navn på model (DE) Modellname (ET) Modeli nimetus (EL) Όνομα μοντέλου (FR) Nom du modèle (GA) Ainm an Leigheán (HR) Naziv modela (IT) Modello (LV) Modela nosaukums (LT) Model pavadinimas (MT) Isem tal-model (NL) Modelnaam (PL) Nazwa modelu (PT) Nome do Modelo (RO) Nume model (SK) Názov modelu (SL) Naziv modela (FI) Mallin nimi (SV) Modellnamn (SR) Naziv modela (MK) Имя на модел (NO) Modellnavn (SQ) Emri i modelit (IS) Heiti takis (BS) Naziv modela

(EN) declared load profile (BG) обявен профил на товарене (ES) declarada perfil de carga (CS) prohlášen za zátěžový profil (DA) erklæret belastnings profil (DE) Deklarierter Belastungsprofil (DE) Deklarierter koorms profiel (EL) Χαρακτηριστικός προφίλ φορτίου (FR) profil de charge (GA) próifíl tairge dárbaitha (HR) proglašen profil opterećenja (IT) dichiara profilo di carico (LV) paziņojuma lādēšanas (LT) paskelbė apkrovos profilą (MT) bjarjantet terħelma profil (MT) profil taġġiba di karicu (NL) verklaarde lading profiel (NL) padeklareerde profiel oelcadinga (PL) profil profil de carga declarado (RO) a declara profil de incarcare (SK) vyhlásiť za záťažový profil (SL) razglasila obremenitveni profil (FI) julistettu kuormitusprofiili (SV) deklarerade belastningsprofil (SR) proglašen profil opterećenja (HR) proglašen profiġlul na optovarivanje (NO) erklæret belastningsprofil (SE) a deklarerat narkeset profil (B) yst' hoda profil (B) opiso profil opterećenja

(EN) Seasonal space heating efficiency class: A+++ (35°C) / A+ (55°C) (BG) Клас на енергийна ефективност за сезонно отопление

[illegible][illegible]

(EN) Rated heat output (BG) Номинална топлинна мощност (ES) Salida térmica nominal (CS) Jmenovitý tepelný výkon (DA) Nominelt varmeeffekt (DE) Nenn-Heizleistung (ET) Nomináltermikus teljesítmény (EL) Ονομαστική θερμική ισχύς (FR) Puissance thermique nominale (GA) Aincluit measta (HR) Nacinsna snaga grijanja (IT) Potenza termica nominale (LV) Nominālā Siltumdeva (LT) Vardinė šilumos tiekimo (HU) Hőteljesítmény (MT) H-ug minn katalni (NL) Nominale warmte-uitvoer (PL) Znamionowa moc cieplna (PT) Potência nominal da saída de calor (RO) Emisia nominală (Cildir) Sıcaklık (SK) Nominálny tepelný výkon (SL) Nacinsna oddajanje toplote (FI) Lämpönnin nimitys (SV) Nominell Värmeffekt (SR) Nominale toplotna snaga (MK) Номинален излез на топлина (NO) Nominell varmeffekt (SQ) Rendimenti i vlerësuar i nehtësisë (IS) Nafn Varmahæðis (BS) Izlaz nominalne toplote

[illegible][illegible]

8 (EN) Annual energy consumption (BG) Годовано потребление на енергия (ES) Consumo energético anual (CS) Roční spotřeba energie (DA) Årligt energiforbrug (DE) Jährlicher Energieverbrauch (ET) Átlagos energiatartalom (EL) Ετήσια κατανάλωση ενέργειας (FR) Consommation d'énergie annuelle (GA) Iúil bliantúil fuinnimh (HR) Godišnja potrošnja energije (IT) Consumo energetico annuale (LV) Enerģijas patēriņš gadā (LT) Kasmetinis energijos suvartojimas (HU) Éves energiaszükséglet (MT) Konsunt annu tal-enerġja (NL) Jaarlijkse energieverbruik (PL) Roczne zużycie energii (PT) Consumo energético anual (RO) Consumul de energie anual (SK) Ročná spotreba energie (SL) Letna poraba energije (FI) Energiän vuosittainen kulutus (SV) Årspotförbrukning (SR) Godišnja potrošnja energije (MK) Godišnja potrošnja energije (NO) Årlig energiforbruk (SQ) Konsumi i vitit

[illegible]

10 (EN) water heating energy efficiency (BG) вода за отопление енергийна ефективност (ES) la eficiencia energética de calentamiento de agua (CS) topné vody energetická účinnost (DA) vand opvarmingseffektivitet (DE) Wasser-Heizungs-Effizienzfaktor (ET) vesi kúti energiahatékonyság (EL) θέρμανση του νερού της ενεργειακής απόδοσης (FR) le rendement énergétique de chauffage d'eau (GA) uisce a chálann éifeachtacht fáilteirí (HR) grijanje vode energetska učinkovitost (IT) efficienza d'acqua per riscaldamento (ID) idensitas energi pemanasan (LT) vandens šildymo energinio efektyvumas (LV) ūdens sildīšanas enerģētiskā efektivitāte (MT) l-inefficienza tal-enerġija għall-iskejjem tal-ilma (NL) verwarmings-efficiëntie (PL) efektywność energetyczna ogrzewania wody (PT) eficiência de aquecimento a energia da água (RO) încălzire energie eficientă (SK) vykurovacia vodná energetická účinnosť (SL) energija za ogrevanje vode učinkovitost (FI) veden lämmitys energiatehokkuus (SV) varmvatten (SQ) effectiveness (SR) toplotna energija vode efikasnost (MK) voda za grejanje energetska efikasnost (NO) varmeanlegg vannforbrukseffektivitet (SQ) effektivitet naghren e yk te energija (SV) vatten uppvärmning effektivitet (BS) voda toplotne energije efikasnost

[illegible]

12) (EN) PRECAUTION (BG) МЕРКА БЕЗОПАСНОСТ (ES) PRECAUCIÓN (CS) OPATRNOSTI (DA) FORSØRGELSE (DE) VORSICHTSWAHRUNG (ET) ETTEVAATUSTE (EL) ΠΡΟΒΛΑΪΣΤΕΡΕ (FR) PRÉCAUTIONS (GA) REAMHOCHAM (HR) MERE OPREZ (HU) FIGYELŐSZABÁLYZÁS (IT) PRECAUZIONI (PL) OSTRÓŻNOŚĆ (PT) PRECAUÇÕES (RO) ATENȚIE (SK) OPATRNOSTI (SL) PAZNILOST (TV) HUOMAUTUS (SV) SÄKERHETSÖVERGÄNGSÅTGÄRD (SR) MERE PREDOSTROŽNOSTI (MK) МЕРКА НА ПРЕТПАЗЛИВОСТ (NO) FORSØRGING (SQ) MASARA PARAPRAKJE (IS) VARIÐRASKYGN (BS) OPREZ

13) (EN) Contact the authorized service technician for repair or maintenance of this unit. (BG) Обръщайте се към квалификиран сервисен техник за ремонт или поддръжка на този уред. (ES) Póngase en contacto con un servicio técnico autorizado para la reparación o mantenimiento de este equipo. (FR) Contacter le technicien de service agréé pour la réparation ou l'entretien de cet appareil. (IT) Contattare il tecnico di servizio autorizzato per la riparazione o la manutenzione di questo apparecchio. (DE) Kontaktieren Sie den autorisierten Servicetechniker für die Reparatur oder Wartung dieses Geräts. (PT) Contatar o técnico de serviço autorizado para reparar ou manter esta unidade. (PL) Skontaktować się z autoryzowanym serwisem technicznym w celu naprawy lub konserwacji tego urządzenia. (RO) Contactați tehnicianul de service autorizat pentru repararea sau mentenanța acestui aparat. (SK) Kontaktovať autorizovaného servisného technika na opravu alebo údržbu tohto zariadenia. (SL) Posvetujte se s pooblaščenim servisnim tehnikom za popravilo ali vzdrževanje tega naprave. (TV) Osoittu huoltoteknikin korjaamaan tai huoltamaan tämä yksikkö. (SV) Kontakta den auktoriserade servicepersonalen för reparation eller underhåll av denna enhet. (SR) Kontaktirati ovlašćeni servisni tehničar za popravu ili održavanje ovog uređaja. (MK) Kontaktirati ovlašćeni servisni tehničar za popravu ili održavanje ovog uređaja. (IS) Samskiptu við fagfólgaðan tæknifólka til að repara eða viðhalda þessari einingu. (BS) Kontaktirati ovlašćeni servisni tehničar za popravu ili održavanje ovog uređaja.

[illegible]

19 (EN) Water pump $\leq$ (BG) Водна помпа $\leq$ (EE) Esi de la bomba de aigua $\leq$ (CS) Esi (indeksovanej úroveň) vodního čerpadla $\leq$ (DA) Vandpumpe $\leq$ (DE) Wasserpumpe $\leq$ (ET) Vesumpu energiatõhususeks $\leq$ (EL) Esi avtolaos vepoi $\leq$ (FR) Indicateur d'efficacité énergétique de la pompe à eau $\leq$ (GA) Cardad Eisi $\leq$ (HR) Pumpa za vodu $\leq$ (IT) Efficacia Pompa dell'acqua $\leq$ (LV) Densums Esi $\leq$ (LT) Vandens siurblys $\leq$ (HU) Vízszivattyú $\leq$ (MT) Pompa tal-fann $\leq$ (NL) Waterpompe Esi $\leq$ (PL) Pompa wody Esi $\leq$ (PT) Bomba de água Esi $\leq$ (RO) Pompa de apă Esi $\leq$ (SK) Esi vodného čerpadla $\leq$ (SL) Voda črpalka Esi $\leq$ (FI) Vesipumppu Esi $\leq$ (SV) Vattenslump Esi $\leq$ (SR) Esi $\leq$ Pumpa za vodu (MK) Водна пумпа Esi $\leq$ (NO) Vannpumpe Esi $\leq$ (SQ) Pompa e ujti Esi $\leq$ (Vat) Esi $\leq$ (BS) Esi $\leq$ Pumpa za vodu $\leq$

[illegible]

21 (EN) space heating (BG) отопление на помещаенията (ES) calefacción de espacios (CS) plocha topení (DA) rumvarmning (DE) Raumheizung (ET) ruumi kütte (EL) βεσάρωση χώρων (FR) espace chauffé (GA) dárán spás (HR) grijanje prostora (IT) spazio riscaldamento (LV) telpu apsilde (LT) patalpų šildymas (HU) helyiségek fűtése (MT) biżn ta' spazju (NL) ruimteverwarming (PL) przegrzewanie (PT) espaço aquecimento (RO) încălzirea spațiului (SK) priestor kúrenie (SL) za ogrevanje prostora (FI) tilojen lämmitys (SV) rummen uppvärmning (SR) grejanje prostora (MK) zagrevanje na prostor (NO) romvarmning (CS) grijanje u prostorima (BS) plás hta (BS) grijanje prostora

22 (EN) water heating (BG) загряване на вода (ES) calentamiento de agua (CS) ohřev vody (DA) vand opvarmning (DE) Wassererwärmung (ET) veesoojendus (EL) θέρμανση του νερού (FR) chauffeage à l'eau (GA) téamh uisce (HR) grijanje vode (IT) riscaldamento dell'acqua (LV) ūdens sildīšana (LT) vandens šildymo (HU) vízmelegítő (MT) jathon l-ilma (NL) het verwarmen van water (PL) ogrzewania wody (PT) aquecimento de água (RO) încălzirea apei (SV) vatten övers (SL) ogrevanje vode (FI) veden lämmitys (SV) varmvattenberedning (SK) zategovanie vode (MK) voda za

23. **(EN)** *Colder / Average / Warmer* **(BG)** По-студено / Средно / По-топло **(ES)** Más frío / Promedio / Más caliente **(CS)** Chladnější / Průměr / Teplejší **(DA)** Koldere / Middelt / Varmere **(DE)** Kälter / Durchschnittlich / Wärmer **(ET)** Külmem / Keskmiselt / Soojam **(EL)** Ψυχρότερος / Στοιχός / Μείζος όρος / Θερμότερος όρος **(FR)** Plus froid / Moyenne / Plus chaud **(GA)** Níos fuar / Meánach / Níos teo **(HR)** Hladnije / Prosječno / Toplije **(IT)** Più freddo / Intemedio / Più caldo **(LV)** Viesd / Vidus / Siltāks **(LT)** Šaltiau / Vidurinė / Šilčiau **(NL)** Koudere / Gemiddeld / Warmer **(PT)** Mais frio / Mais quente

(SK) Chladenie / Priemer / Teplota (SL) Hladjenje / Povprečje / Toplota (FI) Kylmämpi / Keskitaso / Lämpömpi (SV) Kallare / Medel / Varmare (SR) Hladina / Prosječno / Toplina (MG) Hladano / Prosočno / Toploto (NO) Kallere / Gjennomsnittlig / Varmere (MT) Frieħri / Mewtaħ / Mli għażże (BS) Kallur / Mjehur / Hvarur (BS) Hladno / Prosječno / Toplota

Model

HM071M U43

Seasonal space heating energy efficiency of heat pump

¹
 'I' %

Temperature control

From fiche of temperature control

 Class I = 1 %, Class II = 2 %, Class III = 1,5 %,
 Class IV = 2 %, Class V = 3 %, Class VI = 4 %, Class VII = 3,5 %, Class VIII = 5 %

²
 + %

Supplementary boiler

From fiche of boiler

Seasonal space heating energy efficiency (in %)

³
 (- 'I') × 'II' = - %

Solar contribution

From fiche of solar device


Collector size
(in m²)Tank volume
(in m³)Collector efficiency
(in %)
 Tank rating
 A* = 0,95, A = 0,91,
 B = 0,86, C = 0,83,
 D-G = 0,81

⁴
 ('III' × + 'IV' ×) × 0,45 × (/ 100) × = + %

Seasonal space heating energy efficiency of package under average climate

⁵
 %

Seasonal space heating energy efficiency class of package under average climate



Seasonal space heating energy efficiency under colder and warmer climate conditions

 Colder: ⁵ - 'V' = %

 Warmer: ⁵ + 'VI' = %

The energy efficiency of the package of products provided for in this fiche may not correspond to its actual energy efficiency once installed in a building, as the efficiency is influenced by further factors such as heat loss in the distribution system and the dimensioning of the products in relation to building size and characteristics.

	I	II	III	IV	V	VI
55°C	122%	0.00	4.86	1.90	25%	58%
35°C	175%	0.00	4.65	1.82	48%	90%

Model HM071M U43



Seasonal space heating energy efficiency of heat pump

I' %

Temperature control

From fiche of temperature control

Class I = 1 %, Class II = 2 %, Class III = 1,5 %, Class IV = 2 %, Class V = 3 %, Class VI = 4 %, Class VII = 3,5 %, Class VIII = 5 %

+ **II'** %

Supplementary boiler

From fiche of boiler

Seasonal space heating energy efficiency (in %)

(**III'** - 'I') × 'II' = - **III'** %

Solar contribution

From fiche of solar device

Collector size (in m²)

Tank volume (in m³)

Collector efficiency (in %)

Tank rating
A* = 0,95, A = 0,91,
B = 0,86, C = 0,83,
D-G = 0,81

('III' × **IV'** + 'IV' × **IV'**) × 0,45 × (**IV'** / 100) × **IV'** = + **IV'** %

Seasonal space heating energy efficiency of package under average climate

V' %

Seasonal space heating energy efficiency class of package under average climate

G **F** **E** **D** **C** **B** **A** **A*** **A**** **A*****
< 30 % ≥ 30 % ≥ 34 % ≥ 36 % ≥ 75 % ≥ 82 % ≥ 90 % ≥ 98 % ≥ 125 % ≥ 150 %

Seasonal space heating energy efficiency under colder and warmer climate conditions

Colder: **V'** - 'V' = **V'** %

Warmer: **V'** + 'VI' = **V'** %

The energy efficiency of the package of products provided for in this fiche may not correspond to its actual energy efficiency once installed in a building, as the efficiency is influenced by further factors such as heat loss in the distribution system and the dimensioning of the products in relation to building size and characteristics.

	I	II	III	IV	V	VI
55°C	122%	0.00	4.86	1.90	25%	58%

Model HM071M U43 / - / OSHW-200F AEU

Water heating energy efficiency of combination heater

I' %

Declared load profile:



Solar contribution

From fiche of solar device

Auxiliary electricity

(1,1 × 'I' - 10 %) × 'II' - **III'** - 'I' = + **III'** %

Water heating energy efficiency of package under average climate

III' %

Water heating energy efficiency class of package under average climate

	G	F	E	D	C	B	A	A*	A**	A***
M	< 27 %	≥ 27 %	≥ 30 %	≥ 33 %	≥ 36 %	≥ 39 %	≥ 65 %	≥ 100 %	≥ 130 %	≥ 163 %
L	< 27 %	≥ 27 %	≥ 30 %	≥ 34 %	≥ 37 %	≥ 50 %	≥ 75 %	≥ 115 %	≥ 150 %	≥ 188 %
XL	< 27 %	≥ 27 %	≥ 30 %	≥ 35 %	≥ 38 %	≥ 55 %	≥ 80 %	≥ 123 %	≥ 160 %	≥ 200 %
XXL	< 28 %	≥ 28 %	≥ 32 %	≥ 36 %	≥ 40 %	≥ 60 %	≥ 85 %	≥ 131 %	≥ 170 %	≥ 213 %

Water heating energy efficiency under colder and warmer climate conditions

Colder: **III'** - 0,2 × **II'** = **III'** %

Warmer: **III'** + 0,4 × **II'** = **III'** %

The energy efficiency of the package of products provided for in this fiche may not correspond to its actual energy efficiency once installed in a building, as the efficiency is influenced by further factors such as heat loss in the distribution system and the dimensioning of the products in relation to building size and characteristics.

I
122%

Model HM071M U43



Seasonal space heating energy efficiency of heat pump

I %

Temperature control

From fiche of temperature control

Class I = 1 %, Class II = 2 %, Class III = 1,5 %, Class IV = 2 %, Class V = 3 %, Class VI = 4 %, Class VII = 3,5 %, Class VIII = 5 %

II %

Supplementary boiler

From fiche of boiler

Seasonal space heating energy efficiency (in %)

$$(\text{III} - \text{I}) \times \text{II} = - \text{III} \%$$

Solar contribution

From fiche of solar device

Collector size (in m²)

Tank volume (in m³)

Collector efficiency (in %)


Tank rating
A* = 0,95, A = 0,91,
B = 0,86, C = 0,83,
D-G = 0,81

$$(\text{III} \times \text{IV} + \text{IV} \times \text{V}) \times 0,45 \times (\text{VI} / 100) \times \text{VII} = + \text{VIII} \%$$

Seasonal space heating energy efficiency of package under average climate

IX %

Seasonal space heating energy efficiency class of package under average climate



Seasonal space heating energy efficiency under colder and warmer climate conditions

Colder: **IX** - 'V' = **X** %

Warmer: **IX** + 'VI' = **XI** %

The energy efficiency of the package of products provided for in this fiche may not correspond to its actual energy efficiency once installed in a building, as the efficiency is influenced by further factors such as heat loss in the distribution system and the dimensioning of the products in relation to building size and characteristics.

	I	II	III	IV	V	VI
55°C	122%	0.00	4.86	1.90	25%	58%

Model HM071M U43/OSHW-300F AEU

Water heating energy efficiency of combination heater

I %

Declared load profile:



Solar contribution

From fiche of solar device

Auxiliary electricity

$$(1,1 \times \text{I} - 10 \%) \times \text{II} - \text{III} - \text{IV} = + \text{V} \%$$

Water heating energy efficiency of package under average climate

VI %

Water heating energy efficiency class of package under average climate

	G	F	E	D	C	B	A	A⁺	A⁺⁺	A⁺⁺⁺
M	< 27 %	≥ 27 %	≥ 30 %	≥ 33 %	≥ 36 %	≥ 39 %	≥ 65 %	≥ 100 %	≥ 130 %	≥ 163 %
L	< 27 %	≥ 27 %	≥ 30 %	≥ 34 %	≥ 37 %	≥ 50 %	≥ 75 %	≥ 115 %	≥ 150 %	≥ 188 %
XL	< 27 %	≥ 27 %	≥ 30 %	≥ 35 %	≥ 38 %	≥ 55 %	≥ 80 %	≥ 123 %	≥ 160 %	≥ 200 %
XXL	< 28 %	≥ 28 %	≥ 32 %	≥ 36 %	≥ 40 %	≥ 60 %	≥ 85 %	≥ 131 %	≥ 170 %	≥ 213 %

Water heating energy efficiency under colder and warmer climate conditions

Colder: **VI** - 0,2 × **VII** = **VIII** %

Warmer: **VI** + 0,4 × **VII** = **IX** %

The energy efficiency of the package of products provided for in this fiche may not correspond to its actual energy efficiency once installed in a building, as the efficiency is influenced by further factors such as heat loss in the distribution system and the dimensioning of the products in relation to building size and characteristics.

I
134%

- [illegible]